

Message

From: Giancarlo, Mary Beth [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=688488C9E6804937AB6E6F32E6DE0066-MARYBETH GIANCARLO]
Sent: 9/17/2019 2:06:51 PM
To: Tony V. Demasi [demasitv@cityofcf.com]
Subject: RE: Cuyahoga River-Gorge Dam Project - Draft Sampling Analysis Plan - Review and comments requested

Thanks Tony!! If you want to observe the sampling activities to kind of be part of the action again, please let me know, and we can coordinate your site visit with Jacobs this fall.

From: Tony V. Demasi <demasitv@cityofcf.com>
Sent: Tuesday, September 17, 2019 7:56 AM
To: Giancarlo, Mary Beth <Giancarlo.Marybeth@epa.gov>
Cc: Schucker, Julie/CIN (Julianne.Schucker@jacobs.com) <Julianne.Schucker@jacobs.com>; Reif, Marty/WDC (Marty.Reif@jacobs.com) <Marty.Reif@jacobs.com>; Auker, Karla <auker.karla@epa.gov>
Subject: Re: Cuyahoga River-Gorge Dam Project - Draft Sampling Analysis Plan - Review and comments requested

Good morning Mary Beth,

As a geotechnical engineer I am very impressed with the amount of detail that went into the SAP...makes me want to go back into that field of work again!

I have a couple of very minor comments that are shown on the attached document. Basically I think it's a good idea to note the depths of the sampling will be to 50-feet or until refusal on bedrock. Refusal is discussed for the sediment sampling in the water, and in the Field Operating Procedures, but not for the disposal site sampling narrative.

Thank you for the opportunity to review the document and I look forward to continuing to move forward with the project.

Tony V. Demasi P.E., City Engineer
City of Cuyahoga Falls
2310 2nd Street
Cuyahoga Falls, OH 44221
(330) 971-8180

From: "Giancarlo, Mary Beth" <Giancarlo.Marybeth@epa.gov>
To: "Auker, Karla" <auker.karla@epa.gov>, "Schucker, Julie/CIN (Julianne.Schucker@jacobs.com)" <Julianne.Schucker@jacobs.com>, "Reif, Marty/WDC (Marty.Reif@jacobs.com)" <Marty.Reif@jacobs.com>, "William Zawiski" <William.Zawiski@epa.ohio.gov>, "Mike Johnson" <Mjohnson@summitmetroparks.org>, chauber@summitmetroparks.org, "Gsellman, Patrick" <PGsellman@akronohio.gov>, "Ullinger, Heather" <Hullinger@akronohio.gov>, demasitv@cityofcf.com, "Loomis, Mark" <Loomis.Mark@epa.gov>, "Elaine Marsh" <ohgreenway@gmail.com>, "melanie barbis" <melanie.barbis@epa.ohio.gov>
Sent: Monday, September 16, 2019 4:13:44 PM
Subject: RE: Cuyahoga River-Gorge Dam Project - Draft Sampling Analysis Plan - Review and comments requested

Hello All – I haven't received any comments on the SAP, so I'm extending the due date to COB Wed, Sept 18. Jacobs will move ahead with revising the document on the 19th based on whatever comments they received by then.

Thanks,
-Mary Beth

From: Giancarlo, Mary Beth

Sent: Wednesday, September 04, 2019 11:53 AM

To: Karla Auker (auker.karla@epa.gov) <auker.karla@epa.gov>; Schucker, Julie/CIN (Julianne.Schucker@jacobs.com) <Julianne.Schucker@jacobs.com>; Reif, Marty/WDC (Marty.Reif@jacobs.com) <Marty.Reif@jacobs.com>; William.Zawiski@epa.ohio.gov; Mike Johnson <Mjohnson@summitmetroparks.org>; chauber@summitmetroparks.org; Gsellman, Patrick <PGsellman@akronohio.gov>; Ullinger, Heather <Hullinger@akronohio.gov>; demasitv@cityofcf.com; Loomis, Mark <Loomis.Mark@epa.gov>; ohgreenway@gmail.com; melanie.barbis@epa.ohio.gov

Subject: FW: Cuyahoga River-Gorge Dam Project - Draft Sampling Analysis Plan - Review and comments requested

Importance: High

Hello All,

I apologize for not getting the attached Sampling and Analysis Plan out to you earlier. I told those on the call this morning that in my head I sent this out to the team on the day I received it from Jacobs with a 2 week turnaround time on comments and a due date of September 6. But, I must have dreamed that because no one on the call received an e-mail from me with the SAP.

I'd like to still give you two weeks to review the SAP, but if there is any way that you can provide comments by next Thursday, Sept 12, that would be very much appreciated. It is a large document, but you can focus your review on the following sections (we have a QA contractor who is in the process of thoroughly reviewing the whole document):

Section 1.3 – Project Description and Schedule

Section 2.1 – Sampling Process and Design

Section 2.2 – Sampling Activities and Procedures

Table 1 – Data Quality Objectives (two pages – one for dam pool and one for disposal area)

All Figures (1 – 4)

The SAP is provided in two formats – a pdf with all the tables, figures and attachments, and a Word document with just the text and tables. Feel free to comment in the pdf, in the Word document with track changes, or just listing comments in an e-mail – whichever way is more convenient for you.

Thank you!!
-Mary Beth

From: Schucker, Julie/CIN <Julianne.Schucker@jacobs.com>

Sent: Friday, August 23, 2019 5:08 PM

To: Giancarlo, Mary Beth <Giancarlo.Marybeth@epa.gov>

Cc: Reif, Marty/WDC <Marty.Reif@jacobs.com>; Bayer, Regina/MKE <Regina.Bayer@jacobs.com>; Auker, Karla <auker.karla@epa.gov>

Subject: Cuyahoga River-Gorge Dam Project - Draft Sampling Analysis Plan

Hi Mary Beth – Attached for USEPA's review is the Draft SAP. As we discussed earlier this week, I've provided two files:

1. Word file containing the text and tables
2. PDF file containing text, tables, figures, and field operating procedures

I've also saved these files to the OneDrive at the link below.

https://jacobsengineering-my.sharepoint.com/personal/julianne_schucker_jacobs_com/_layouts/15/onedrive.aspx?id=%2Fpersonal%2Fjulianne%2Fschucker%2Fjacobs%2Fcom%2FDocuments%2FCuyahoga%20River%20Gorge%20Dam%20Project%2FDraft%20Sampling%20Analysis%20Plan

Please let me know if you have any questions.

Thank you,

Julie Schucker, CP, PG | Jacobs | Senior Project Manager | Global Environmental Solutions | 513.313.0646 mobile | Julianne.Schucker@Jacobs.com | www.jacobs.com

NOTICE - This communication may contain confidential and privileged information that is for the sole use of the intended recipient. Any viewing, copying or distribution of, or reliance on this message by unintended recipients is strictly prohibited. If you have received this message in error, please notify us immediately by replying to the message and deleting it from your computer.